

Document **E-DTD.W017.001**

Edition Revision

Α

1

SPIRIT 135 DIRECT DRIVE



Applicability







Document

E-DTD.W017.001

Edition

Revision

Α

1

Engine data	
Model/Code	Spirit 135 Direct Drive / W017 right rotation – W018 left rotation
Туре	4 cylinder boxer - 4 Stroke fuel (Otto cycle)
Displacement [cm³ (in³)]	2201 (134)
Weight [Kg (lb)]	81 (178) dry (without accessories)
Dimension L x W x H [mm (in)]	590 x 762 x 419 (23.23 x 30 x 16.5)
Stroke X Bore [mm (in)]	81 x 93 (3.18 x 3.66)
Compression Rate	10.3 ÷ 1
Fuel	Mo.GAS min. AKI 90, R.O.N. 95, M.O.N. 85, LL100
Cooling System	Liquid with mechanical pump
Lubrication	Semi-dry sump, pressure oil feed assisted with internal pump
Timing System	2 valves per cylinder with S.O.H.C. (Single Over Head Camshaft)
Timing Driving System	Gear + chain with automatic chain tensioner
Accessories pre-installed	Engine wiring loom, voltage regulator, start relay, dampers, ign. coils

Transmission





Electric data		
Generator	Permanent magnet, oil cooled, 300W (12.5V-24A)	
Starter	Electric starter 0.65kW with anti-kickback clutch	
F.R.I.S. (Full Rendundancy Injector System)	ECU with dual injection and ignition; altitude and temperature compensation; Limp Home strategy	
CAN Data Trasmission	CAN Aerospace protocol	
Performance		
Max Power [kW (Hp)]	99.3 (135) @ 4700 rpm	
Max Torque [Nm (Ft-lb)]	213 (157.1) @ 3120,500 rpm	
Max Continuous Power [kW (Hp)]	88.3 (120)	

•	_ ' '
Max Continuous Power [kW (Hp)]	88.3 (120)
Max Engine Speed [rpm]	4750
Power/Weight [Hp/Kg (Hp/lb)]	1.67 (0.76)
Fuel Cons. [Kg/h (lb/h)]	17.4 (38.4) @ 101 Hp (75%)
TBO [h]	1200



Document

E-DTD.W017.001


Edition


Revision

A

1

DIMENSIONS









Document **E-DTD.W017.001**

Edition Revision

A 1

ATTACHMENT POINTS







Document

E-DTD.W017.001

Edition Revision

A 1

